

- All our greenhouse models come complete with hardware, glass, barcaps, interior gutter with downspouts, roof vents (number varies with size of greenhouse) and redwood door.
- Deluxe Regular sets on a 32" Base Wall; Glass-to-Ground sets on a 9 1/2" Base Wall. Buy our Cedar/Redwood Base Wall (with built-in vents) or build your own.

| Width | Length | Greenhouse | Base Wall | Thermal Option | Twin Wall in roof | Standard Benches |
|---------------------------|--------|------------|-----------|----------------|-------------------|------------------|
| 9' Regular | 12' | \$ 5240 | \$ 1130 | \$ 1495 | \$ 470 | \$ 780 |
| Free Standing | 16' | 6080 | 1345 | 1765 | 623 | 896 |
| height: 8' | 20' | 7150 | 1565 | 2045 | 781 | 1037 |
| 9' Glass to Ground | 12' | 6375 | 495 | 1770 | 470 | 780 |
| Free Standing | 16' | 7240 | 550 | 2103 | 623 | 896 |
| height: 8' | 20' | 8670 | 620 | 2432 | 781 | 1037 |
| 8' Regular | 12' | 4880 | 995 | 1273 | 422 | 754 |
| Lean-to | 16' | 5545 | 1145 | 1464 | 557 | 868 |
| height: 9' | 20' | 6440 | 1300 | 1678 | 700 | 989 |
| 8' Glass to Ground | 12' | 5775 | 295 | 1425 | 422 | 754 |
| Lean-to | 16' | 6545 | 340 | 1639 | 557 | 868 |
| height: 9' | 20' | 7565 | 380 | 1865 | 700 | 989 |
| 6' Regular | 12' | 3853 | 875 | 1093 | 333 | 503 |
| Lean-to | 16' | 4360 | 1025 | 1273 | 447 | 557 |
| height: 8' | 20' | 4820 | 1210 | 1460 | 557 | 612 |
| 6' Glass to Ground | 12' | 4595 | 245 | 1295 | 333 | 503 |
| Lean-to | 16' | 5250 | 295 | 1425 | 447 | 557 |
| height: 8' | 20' | 6115 | 335 | 1678 | 557 | 612 |

Dutch Door option Add \$90
 For models attached at one end Deduct \$375
 For two door ends Add \$390
 Custom sizes available – prices on request

- Designed for 18" high base wall.
- 30" wide Tudor style arched door and 1 roof finial included.
- Includes roof overhangs, rafter tie kits, and gussets at rafter tie bays.
- Benches are 32" wide. All wood bench is 36" high. Available in soil/slat combination. Soil portion does not have lower shelf.


| Width | Length | Greenhouse | Base Wall 18" High | Thermal Option | Twin Wall in roof | Standard Benches | 2-Tier Wood Benches |
|-------------------------|--------|------------|--------------------|----------------|-------------------|------------------|---------------------|
| 9' Free Standing | 12' | \$ 8210 | \$ 989 | \$ 1770 | \$ 470 | \$ 780 | \$ 1464 |
| height: 9' | 14' | 8800 | 1027 | 1939 | 545 | 847 | 1570 |
| | 16' | 9393 | 1060 | 2109 | 625 | 896 | 1675 |
| | 18' | 10097 | 1146 | 2272 | 700 | 956 | 1800 |
| | 20' | 10900 | 1230 | 2435 | 780 | 1037 | 1940 |

Extra Finial \$175 each
 Ridge Scallop \$13 per foot
 Wood shelves, first bay \$35 each
 Wood shelves, additional bay length \$25 each
 Custom sizes available – call for information


Deluxe

pages 6 & 7 in catalog

Deluxe Regular



Deluxe Glass to Ground




Deluxe Lean-To




Garden Deluxe

page 7 in catalog



Garden Sun Room

page 13 in catalog




- Extra large glass glazing with barcaps plus Double Glazing Thermal Option included
- Tempered glass or twin-wall polycarbonate in roof, double strength glass in walls
- Designed for 18" base wall – build your own or buy our Redwood/Cedar Base Wall with vents

| Width | Height | Length | | | |
|----------------------|--------|---------|---------|---------|----------|
| | | 12' | 14' | 16' | 18' |
| 7' Greenhouse | 8'4" | \$ 8415 | \$ 8896 | \$ 9787 | \$ 10530 |
| 18" Base Wall | | 720 | 770 | 812 | 864 |
| 8' Greenhouse | 8'8" | 9215 | 9760 | 10695 | 11505 |
| 18" Base Wall | | 790 | 822 | 865 | 896 |
| 9' Greenhouse | 9'0" | 10075 | 10656 | 11665 | 12502 |
| 18" Base Wall | | 805 | 845 | 885 | 935 |

Custom sizes available – prices on request

Nantucket

page 12 in catalog



- Mounts on an 18" Base Wall – buy ours or build your own
- All double strength glass
- Includes roof vents and jalousie windows; ridge scallop and finials
- Double Tudor-style arched doors
- Custom sizes available – call for quote

| Depth | Length | Greenhouse | Base Wall 18" High | Thermal Option | Twin Wall in roof |
|---------------------------------------|--------|------------|-----------------------|-------------------|----------------------|
| 8' Free Standing height: 9' | 12' | \$ 11039 | \$ 973 | \$ 1750 | \$ 422 |
| | 14' | 12147 | 1015 | 1905 | 492 |
| | 16' | 13400 | 1056 | 2075 | 553 |

Multiple combinations of benches are possible. Call to discuss your options and pricing.

Solite

pages 10 & 11 in catalog

Solite



Solite Junior



Solite Lean-To



- Designed to sit on 9 1/2" Base Wall – buy from us or build your own
- Available in Free Standing and Lean-To styles – Dutch Door optional



| Width | Length | Greenhouse | Base Wall 9 1/2" High | Thermal Option | Twin-wall in Roof | Standard Benches |
|--|--------|------------|--------------------------|-------------------|----------------------|---------------------|
| 11' Free Standing height: 8' | 12' | \$ 6928 | \$ 554 | \$ 1780 | \$ 470 | \$ 869 |
| | 14' | 7326 | 574 | 1945 | 546 | 901 |
| | 16' | 8070 | 590 | 2098 | 624 | 951 |
| | 18' | 8741 | 625 | 2262 | 704 | 1032 |
| 7 1/2' Lean-to height: 8' | 12' | 4995 | 295 | 1273 | 333 | 574 |
| | 14' | 5360 | 317 | 1399 | 388 | 600 |
| | 16' | 5671 | 339 | 1465 | 443 | 628 |
| | 18' | 6048 | 360 | 1557 | 503 | 656 |
| 9 1/2' Lean-to height: 9' | 12' | 6205 | 339 | 1568 | 422 | 780 |
| | 14' | 6594 | 360 | 1672 | 492 | 825 |
| | 16' | 7060 | 377 | 1781 | 554 | 896 |
| | 18' | 7550 | 394 | 1896 | 623 | 972 |
| Solite Jr. 8' Free Standing height: 7 1/2' | 9' | 3540 | 403 | 1120 | 224 | 554 |
| | 11' | 4070 | 453 | 1250 | 262 | 623 |
| | 12' | 4623 | 475 | 1387 | 300 | 671 |
| | 14' | 5175 | 513 | 1510 | 338 | 727 |
| Solite Jr. 5 1/2' Lean-to height: 8' | 9' | 3114 | 185 | 830 | 180 | 382 |
| | 11' | 3443 | 213 | 907 | 213 | 415 |
| | 12' | 3748 | 235 | 994 | 246 | 443 |
| | 14' | 4065 | 257 | 1088 | 280 | 475 |

Dutch Door option Add \$90
 For models attached at one end Deduct \$425 (\$355 for Solite Jr.)
 For two door ends – add \$390 (\$455 for 11' wide)..... Custom sizes available – prices on request


Tropic

pages 8 & 9 in catalog

Tropic Free Standing



Tropic Lean-To



- Available in Free-Standing and Lean-to styles
- Sits on 32" Base Wall – build your own or buy our Cedar Base Wall with built-in vents
- 16' wide greenhouse is designed with 36" door and 3 bench layout

| Width | Length | Greenhouse | Base Wall 32" High | Thermal Option | Twin Wall in roof | Standard Benches |
|---|--------|------------|-----------------------|-------------------|----------------------|---------------------|
| 10' Free Standing height: 8' | 12' | \$ 5607 | \$ 1202 | \$ 1464 | \$ 470 | \$ 868 |
| | 14' | 6010 | 1322 | 1595 | 545 | 901 |
| | 16' | 6513 | 1410 | 1727 | 623 | 950 |
| | 18' | 7184 | 1572 | 1874 | 705 | 1032 |
| | 20' | 7796 | 1710 | 1994 | 781 | 1103 |
| 16' Free Standing height: 10' | 20' | 12725 | 2234 | 2999 | 1245 | 2153 |
| | 24' | 15577 | 2693 | 3530 | 1491 | 2573 |
| | 28' | 17319 | 2928 | 3956 | 1748 | 2836 |
| | 32' | 19300 | 3260 | 4415 | 1995 | 3090 |
| 7' Lean-To height: 8' | 12' | 4180 | 946 | 994 | 333 | 569 |
| | 14' | 4382 | 1017 | 1115 | 388 | 600 |
| | 16' | 4727 | 1093 | 1217 | 447 | 628 |
| | 18' | 4928 | 1187 | 1312 | 503 | 650 |
| | 20' | 5212 | 1232 | 1405 | 557 | 678 |
| 9' Lean-To height: 9' | 12' | 5135 | 1022 | 1360 | 421 | 781 |
| | 14' | 5540 | 1098 | 1470 | 486 | 825 |
| | 16' | 5858 | 1174 | 1568 | 557 | 896 |
| | 18' | 6282 | 1240 | 1667 | 623 | 973 |
| | 20' | 6841 | 1377 | 1781 | 700 | 1037 |

Dutch Door Option Add \$90

For models attached at one end Deduct \$425 (\$700 for 16' wide)

For two door ends..... Add \$390 (\$455 for 16' wide)

Custom sizes available – prices on request


Tudor

pages 4 & 5 in catalog

Tudor Free Standing



Tudor Lean-To



- Distinctive arched glass door is pre-hung
- Designed for a 32" Base Wall — build your own or buy our Redwood/Cedar Base Wall with special built-in vents
- The Nantucket ridge scallop and finials are a nice addition

| Width | Length | Greenhouse | Base Wall 32" High | Thermal Option | Twin Wall in Roof | Standard Benches |
|---|--------|------------|-----------------------|-------------------|----------------------|---------------------|
| 8' Free Standing height: 9' | 9' | \$ 5529 | \$ 1288 | \$ 1197 | \$ 448 | \$ 574 |
| | 11' | 6162 | 1415 | 1327 | 513 | 633 |
| | 12' | 7108 | 1525 | 1453 | 579 | 683 |
| | 14' | 7796 | 1644 | 1579 | 645 | 749 |
| 10' Free Standing height: 10' | 12' | 9812 | 1600 | 1787 | 656 | 869 |
| | 14' | 10534 | 1715 | 1978 | 765 | 903 |
| | 16' | 11435 | 1835 | 2169 | 869 | 951 |
| | 18' | 12540 | 1951 | 2356 | 976 | 1032 |
| 12' Free Standing height: 11' | 12' | 12128 | 1715 | 2158 | 847 | 869 |
| | 14' | 12927 | 1819 | 2376 | 978 | 902 |
| | 16' | 13921 | 1945 | 2589 | 1115 | 951 |
| | 18' | 15075 | 2065 | 2798 | 1245 | 1032 |
| 7' Lean-to height: 9' | 12' | 5858 | 1037 | 1011 | 371 | 569 |
| | 14' | 6381 | 1103 | 1136 | 448 | 600 |
| | 16' | 6956 | 1159 | 1250 | 519 | 628 |

For models attached at one end, depending on model Deduct \$400 to \$650

For two door ends Add \$625

Custom sizes available — prices on request.

Unique Sturdi-built Features

Clear, All Heart, Kiln-dried Redwood:

- The highest quality material available— warm, beautiful and durable.
- Heart redwood is naturally resistant to deterioration & more energy efficient than aluminum.
- Wood allows for easy addition of accessories.
- Every board is milled to exacting specifications.

Customization:

- Most of our models can be modified to fit unique situations.
- Can be designed to fit pre-existing foundations or other special needs.
- Most models are available in other sizes & lengths.
- Call us to discuss your unique situation.

Glazing Materials:

- Standard glass is our material of choice. It is attractive, strong, economical and long lasting.
- Twin-wall polycarbonate (6mm) glazing or tempered glass is available for areas with breakage issues.
- A popular combination is the use of twin-wall in the roof and clear glass in the walls.

Handmade Wood Doors:

- Standard part of each model, our greenhouse doors are specially handcrafted in our shop.
- Size and type of door varies with the greenhouse size and model.
- Doors can be hinged right or left and be made to swing in or out.
- Unless otherwise specified, doors will be made to swing in to minimize potential wind damage.
- Most doors can also be “dutched” for a small additional fee.

Partition Walls:


- Inner glass wall with door helps create different environments in one greenhouse.
- Available for most models. Prices on request.

Jalousie Windows:

- Special louvered windows to help with ventilation. Each is attractively framed in redwood.
- Can be put in the walls or door.

Barcaps:

- Specially milled trim caps that fit onto the glazing bars after the glass (or other glazing) is installed.
- Help finish and preserve the looks of your greenhouse, extending the service life of the glazing system.
- Furnished with stainless steel screws to protect from rust.



Soil Bench



Slat Bench



Double Tiered Bench

Benches

- Easy to install. Made of all Heart construction grade Redwood or select Western Red Cedar.

Standard Benches come in 3 types:

Soil Type — for propagating—extra deep 8” sides, 1” bottom boards (These benches have galvanized pipe legs)

Slat Type — narrow spaced boards. Strong, good for potted plants.

Combination — part slat, part soil

Special All Wood Benches

- Available with one or two levels in a wide variety of sizes.
- Can be custom made for your greenhouse.
- Come ready for you to assemble.

Note: Number, width and length of benches depends on the greenhouse model.

Sturdi-built Thermal Option



- Unique system exclusive to Sturdi-built Greenhouses.
- Allows the addition of an inner glazing to result in a double-glazed, insulated greenhouse.
- Creates a highly efficient greenhouse while retaining all the fine features and beauty of a Sturdi-built Greenhouse.
- Available in window clear acrylic or twin-wall (white) polyethylene.
- Can be purchased with the greenhouse or added in the future.

Choice of materials for inner glazing:

- System accommodates a variety of materials for the inner glazing – window clear acrylic, white twin-wall polypropylene, or a combination of these materials. We can help you choose the best one for your situation.
- One popular inner glazing arrangement is twin-wall polyethylene for the roof and window clear acrylic for the walls resulting in overhead light diffusion while maintaining the beauty of clear viewing through the walls.

Effective and well suited to greenhouses:

- Designed to breathe to accommodate the high humidity levels and moisture condensation always present in greenhouses, garden rooms and spa enclosures.
- Moisture won't hurt our glazing system whereas it can ruin traditional factory insulated windows.
- Inner glazing is removable for periodic cleaning.
- The insulating air space between the inner and outer glazing is 5/8." Together with our naturally heat-efficient wood construction, this makes Sturdi-built one of the most thermally efficient greenhouses available.
- When twin-wall thermal option material is used you get an even more effective triple (with outside glass & inside twin-wall) or quadruple layer (with both inside and outside glazing being twin-wall).

Flexible installation:

- Add the Thermal Option to all or part of the greenhouse.
- The roof alone can be done with twin-wall for light diffusion and insulation.
- Walls can be done later, if desired, with the same or different materials.

Fine appearance with utility:

- Installation of this option is simple and clean, maintaining the fine appearance and beauty of your greenhouse.
- Works with hanging baskets, shelves, fixtures or accessories.
- Thermal Option prices are shown along with the greenhouse prices.
- Choose from twin-wall polyethylene or clear acrylic in whatever combination you prefer.

Exclusive Factory Prefabrication:

- End walls are factory pre-assembled and shipped in complete sections.
- Doors are pre-hung.
- Roof and side walls are shipped as pre-cut components, marked and drilled for assembly into complete sections.
- Much easier to assemble than the “Erector Set” type kits.

Note: All units are shipped unglazed. Glass or other glazing product is provided and must be installed after the greenhouse framing is erected.



Greenhouse Order Form

Greenhouse Model: _____ Size _____ \$ _____
(For lean-to models specify door location and swing)

Special Features/Optional Extras:

| | |
|-------|-------|
| _____ | _____ |
| _____ | _____ |
| _____ | _____ |

Redwood and Cedar Base Wall _____

Thermal Option (_____ for Roof _____ for Walls)

Benches (specify type) _____

Shipping charge: _____

Accessories:

Heating Equipment: _____

Venting Equipment: _____

Circulation Equipment: _____

Humidifying Equipment: _____

Shade Cloth: _____

Instruments: _____

Others: _____

TOTAL _____

Date of Order _____ Desired Shipping Date _____

Name _____ Ship to (if different) _____

Address _____

Home Phone _____ Weekday Phone _____ Cell Phone _____

Fax _____ Email _____

Customer's Signature _____

Terms: Full payment using personal check at time of order – 5% discount off standard greenhouse price. _____

Or use Visa or Mastercard – 1/3 down with order, 1/3 when we start production, 1/3 when shipped. _____

Or for non-custom jobs minimum 30% deposit by personal check, balance before shipping. _____

BALANCE DUE BEFORE SHIPPING _____

Quality Accessories For Your Greenhouse

Heating Equipment

- 110 volt electric utility heater, 1500 watts60.00
We suggest adding a prewired thermostat for precise control
.80.00
- Empire Direct Vent Gas Heaters, Non-electric, fully automatic,
several sizes, Natural Gas or L.P.
7000 BTU685.00
10,500 BTU765.00
17,500 BTU925.00
24,500 BTU995.00
- Southern Burner Gas Heater – non-electric, automatic-
non-vented 17,500 BTU.470.00
vented 25,000 BTU620.00

Propagation Equipment

- Soil Heating Cable, plastic covered with built-in pre-set thermostat
36' long40.00
48' long45.00
- Super Sprouter Seedling mat
21"x10"/20 watts25.00
48"x12"/60 watts49.00

Shading Material

- Shade Cloth – custom sizes, edges hemmed with grommets
47% shade factor (other densities available)80¢/sq.ft.
min. \$40

Instruments

- Digital Humidity/Temperature indicator26.00
- Minimum-Maximum Recording Thermometer24.00
- Remote sensing thermometer/hygrometer44.00

Thermostats

- W-R 1687-9 for precise, remote heating or cooling control. .65.00
- Pre-wired cord is available for thermostats.add 15.00
- SetBack Thermostat for separate day/night temperatures –
millivolt.60.00

Humidifying Equipment

- Oregon Mist Fogger – auto misting, humidifying unit450.00

Cooling Equipment

- Whisper Cool Air Cooler
2800 cfm575.00
4000 cfm784.00

Venting/Air Circulation Equipment

- BAYLISS MK7-S heavy duty, solar powered vent control . . .70.00
MK7 replacement power cylinder34.00
- Automatic Exhaust Fan Venting System complete with thermostat,
exhaust and intake louvers, 12" size365.00
- 12" Oscillating Wall Mount Fan80.00

Lighting

- SunBlaze T5-24-2ft long, 4 lamp High Output Fluorescent fixture. .140.00
- SunBlaze T5-44-4ft long, 4 lamp High Output Fluorescent fixture. .180.00
- SunSystem HPS 150 - Easy to use, 150W Grow Light system100.00
- Other lights available

Additional Options for Sturdi-built Greenhouses

- Screen Kits for Roof Vents95.00
- Jalousie Windows for End Walls or Doors, 20"W x 30"H .200.00
- Finial (each)175.00
- Ridge Scallop13.00/ft
- 11" Wood Shelves. \$35 first bay, \$25 ea additional bay

Call or visit our website to order our complete Accessory Catalog featuring these and more accessories in greater detail.

Prices subject to change without notice.

To place an order call or email us.

(503)244-4100 • (800)334-4115
www.sturdi-built.com • sturdi@sturdi-built.com

General Notes

- Sturdi-built Greenhouses guarantees that our products will be free from defects in materials and workmanship.
- **Greenhouse dimensions shown are approximate.** It is important to check with us for exact dimensions before building a foundation.
- Shipping charges range from \$300 to \$2000 depending on buyer location and size of greenhouse. FOB Portland, Oregon.
- Prices and terms subject to change without notice — Comparable grades of cedar may be substituted for redwood.
- Items returned for credit require prior approval & may be subject to a restocking charge.
Return freight paid by buyer unless otherwise approved by Sturdi-built.
- Alaska shipments require extra heavy crating \$200 to \$400 depending on unit.
- Extra delivery charges are the buyer's responsibility.
- Warranties on accessories and products not manufactured by Sturdi-built are limited to that of the manufacturer.
- Buyer is responsible for building permits and code compliance which may result in additional costs to the buyer.
- Canadian shipments – Canadian duty and taxes are the responsibility of the buyer

Questions? Call us! (503) 244-4100 or (800) 334-4115 or email us: sturdi@sturdi-built.com